PORCELANOSA Grupo

Infinity shower areas

The best solution for every bathroom


butech PORCELANOSA Grupo

think about ceramic

PORCELANOSA is one of the main world references in bathroom design for its tile collections and bathroom accessories. PORCELANOSA tiles, manufactured with the highest quality standards, are synonymous with design and good taste. For this reason, they are increasingly used in all kinds of environments such as built-in shower trays.

BUTECH has a wide range of shower trays that can be covered directly with tiles from PORCELANOSA. In addition to the bathroom floor, tiles can also be used for the shower tray, allowing a wide variety of designs and assuring accessibility. Discover the different possibilities of shower areas that BUTECH offers to make your bathroom an unforgettable experience.





Manhatan Colonial antideslizante 19.3 x 180 cm

Plato shower deck 90x140 cm

kit imperband + kit rejilla lineal chrome



shower-deck

New concept of shower tray with hidden drain for the most exclusive bathrooms. This innovative shower tray system allows you to create a feeling of continuity with the rest of the flooring thanks to the fact that the slopes are hidden under the flooring. Drainage is achieved through the open joints and does not require the installation of an evacuation grate.

The **shower deck system** is a shower tray composed of a polyurethane base coated with thermoset polymers, ready to receive tiles without any type of adhesive. Especially recommended for bathroom renovations.

shower-deck **TECHNICAL INFORMATION**

Main features

- Flat shower tray without slopes.
- Polyurethane coated with thermoset polymers.
- Hidden drain.
- Ultra-thin shower tray; only 30 mm high.
- Easy cleaning and high resistance to household detergents.
- Virtually zero maintenance, especially compared to wood deckings.
- Thermal insulator.
- Easy installation and assembly.

Recommended Applications


- Trays and shower cabins in all types of bathrooms.
- Shower trays for private and public use.
- Bathrooms adapted for people with reduced mobility.
- Disability friendly bathrooms.

shower-deck SHOWER TRAY COMPONENTS



Shower deck. Thickness: 30mm
Non-return horizontal siphonic drain. Height 60mm. Outlet Ø 40mm and 0.52 l/s
Drain reinforcement piece.
Iamiband 200, 5 linear meters roll (1 unit)
imperband 5 linear meters roll (1 unit)
PVC LEVELLING profiles 14X14X2 pcs of the Length + 1 unit of the Width (Max. 2,000 mm) (3 units).
Connection profiles for tiles 30x4xLength of the tray, max. 2,000mm (2 pcs.)
p-404 tube
Protection sheet
Tile lifting tool
Instructions

shower-deck BATHROOM DESIGN WITHOUT LIMITS



Ascot arce 19,3x120 cm

Shower deck tray 121,6x93,8 cm






Manhatan Colonial anti-slip 19.3 x 180 cm

Shower deck tray 80x120 cm

Houston taupe 120x29,4 cm



Kit Imperband for renovation

Waterproofing system for shower trays consisting of an extra-thin drain, connected by a ring to a waterproof membrane. Especially recommended for waterproofing shower trays in renovation projects. This system is compatible with a wide range of steel grates, both square and linear; check the Butech professional catalogue.

kit imperband for renovation **TECHNICAL INFORMATION**

Main features

Waterproof membrane:

- type C2 cementitious adhesives, according to EN 12004.
- and the drain.
- Size: 150 x 225 c

Kit Imperband for renovation:

- 50 mm diameter horizontal outlet.
- Drainage speed: 0.5 l / s
- Includes siphon piece.

Recommended Applications

- Trays and shower cabins in all types of bathrooms.
- New construction projects and, especially, renovations.
- Residential use.

• Thermoplastic polyolefin membrane coated on both sides by non-woven polyester fibres, suitable for

• The fixing disk ensures a perfect connection to the drain, making the installation and the creation of slopes very easy. Maximum safety, eliminating risks of water leakage between the waterproof membrane

• Compact drain of only 65 mm in height that allows installations of only 7.5 cm from the support to the tile.



kit imperband for renovation SHOWER TRAY COMPONENTS

imperband kit renovation
ceramic grate with frame
imperband waterproof membrane
one-flex premium adhesive
screed
profile pro-shower
floor tiles for shower tray
substrate
epotech aqua grouting material







* The **imperband kit renovation** includes a drain (1a) with siphon (1b), with a waterproof sheet mounted on the fixing disc (1c).

* The grate (2) is ordered separately. Check available models and sizes.

* The **pro-shower** profile is sold separately. There are two **pro-shower** options (wall and floor)



concept xps shower tray BATHROOM DESIGN WITHOUT LIMITS





concept xps shower tray

Prefabricated system for built-in shower trays, including slopes, waterproofing and drainage system. This system is supplied ready to install, reducing work times and improving finish quality.

Lightness, resistance and safety define the concept xps shower trays, making them ideal for bathroom renovations. Compatible with a wide range of steel grates, both square and linear; check Butech's professional catalogue for more information.

concept xps shower tray **TECHNICAL INFORMATION**

Main features

Concept xps boards:

- Includes slopes for water drainage.
- Wide variety of sizes; customizable.
- Board thickness: 30 mm

Imperband kit:

- Drainage system and waterproofing inside an extruded polystyrene connection piece.
- cementitious adhesives type C2, according to EN 12004. Size: 150 x 225 cm
- the tile.

Recommended Applications

- Trays and shower cabins in all types of bathrooms.
- New construction projects and, especially, renovations.
- Residential use. •


• Prefabricated system consisting of two extruded polystyrene boards covered with mortar.

• Waterproof membrane coated on both sides by non-woven polyester fibres, compatible with • Compact drain of only 65 mm in height that allows installations of only 7.5 cm from the support to



concept xps shower tray SHOWER TRAY COMPONENTS

concept XPS panels (2 pieces)
kit imperband standard + xps connection piece
square chrome grate
imperband waterproof sheet
one-flex premium adhesive
screed
floor tiles for shower tray
substrate
epotech aqua grouting material





* The **XPS concept tray** includes two **XPS concept panels** with slopes (1) and an extra slim **imperband kit** (2), mounted inside an XPS connection piece (2a).


* The grate (3) is ordered separately. Consult available models and sizes.



concept xps shower tray BATHROOM DESIGN WITHOUT LIMITS










Features:

- Two-component coloured epoxy grout.
- Easy application and cleaning, free of organic solvents and plasticizers.
- Excellent joint colour stability.
- Chemical resistance to most acids and alkalis, even in high concentrations.
- Wide range of colours

Applications:

- Tiling joints with uniform colour and shade, resistant to the passage of time.
- Shower trays and rooms with permanent humidity. •
- High traffic floorings.
- Flooring with built-in heating.
- Swimming pools. •

supplementary materials epotech aqua / epotech nature



Features:

- Thermoplastic polyolefin membrane coated on both sides by non-woven polyester fibres.
- Maximum waterproofing with the minimum thickness (0.5 mm).
- Compatible with C2 adhesives, according to EN 12004. •
- Good chemical resistance.
- Quick and easy application. •

Applications:

- Waterproofing of interior walls and floors.
- Trays and shower cabins in all types of bathrooms.
- Changing rooms, bathrooms and public showers.
- Spas and facilities in environments with permanent humidity.
- Balconies and terraces with a surface area of less than 10 m² •

supplementary materials imperband



PORCELANOSA Grupo



butech building technology s.a.u.

Carretera Vila-real - Puebla de Arenoso CV-20 Apt./Box 297 12540· Vila-real (Castellón) · Spain Teléfono: (+34) 964 536 200 · Fax: 964 530 034 (Nacional) · Fax: (+34) 964 530 034 (Internacional) e-mail: butech@butech.es www.butech.net