

# Silke

Enclosure



**SYSTEMPOOL**  
PORCELANOSA Grupo

Silke 4



Silke 9



Silke 9C+5



Silke 9/9





# Silke



Bath

## Silke 9/9B



## Silke 9B C+5B



# Characteristics

## Visual continuity

The total integration of all screen elements, unifying shapes and finishes, give the SILKE screen an extraordinary aesthetic quality.



## An original evolution

Based on tradition and the deep knowledge of materials and industrial manufacturing processes, SYSTEMPOOL has been able to create a screen that breaks with everything that is established in the market.



## Care in every detail

There is no random element in the SILKE screen. The only way to stand out in today's market is by providing the utmost care to each piece or finish.



### 8mm tempered glass

As with other SP enclosures, the glass used for the SILKE collection complies with the EN-12150 standard on safety glass.



### System-Glass

Exclusive SP system by which water runs quickly throughout the glass surface, extending its clean and bright appearance. It reduces lime, soap foam, and bacteria deposits.



### Chrome trims

SP takes care of even the smallest detail in its screens; that is why all our trims have high quality decorative finishes which ensure an outstanding look throughout their lifetime.



### Anti-tip safety

The specific design of the rails and bearings prevents the doors from falling off suddenly or hitting the walls due to the "pendulum" effect. Thus, the SILKE screen adds maximum use safety to an unbeatable look.



### High-performance double bearings

Our bearings last much longer. Maximum precision internal tolerances, and an ideal selection of the materials used, ensure that our bearings will run silently and effortlessly for a long time.



### Superfine decorative profiles

SP relies on a cutting-edge technique in the SILKE screen. The new polycarbonate profiles allow a clean and clear vision of the shower space, which marks the difference with other screens on the market.



### Offsetting for walls that are not in line with the vertical

The specific side profiles can compensate for any irregularities in the walls during installation. Their special design ensures that the shower enclosures fit perfectly without affecting their visual appearance.



### Premium height 2 m

SP screens stand out above others. Their slim and slender look, thanks to a maximized height, is also a plus in comfort much appreciated by taller people.




# Technical data

## Formats

| SHOWER  |          |         |         |           | BATH     |            |            |          |
|---------|----------|---------|---------|-----------|----------|------------|------------|----------|
| 2 WALLS |          |         | 3 WALLS |           | 3 WALLS  |            | 2 WALLS    |          |
| SILKE 4 | SILKE 9C | SILKE 5 | SILKE 9 | SILKE 9/9 | SILKE 9B | SILKE 9/9B | SILKE 9B C | SILKE 5B |
|         |          |         |         |           |          |            |            |          |
| 70      | 120      | 70      | 120     | 150       | 150      | 150        | 150        | 70       |
| 75      | 130      | 75      | 130     | 160       | 160      | 160        | 160        | 75       |
| 80      | 140      | 80      | 140     | 170       | 170      | 170        | 170        | 80       |
| 90      | 150      | 85      | 150     | 180       | 180      | 180        | 180        | 90       |
| 100     | 160      | 90      | 160     |           |          | 190        |            |          |
| 110     | 170      |         | 170     |           |          |            |            |          |
| 120     | 180      |         | 180     |           |          |            |            |          |

## Finishes

8 mm tempered glass





**SystemGlass** Easy clean treatment



Serigraphy





Profiles



Fittings



Top Guide











## Manufacturing leadlines

Standard

15 days

Special formats and screen-printed patterns

21 days

-  8MM TEMPERED GLASS
-  SYSTEM-GLASS
-  CHROME TRIMS
-  ANTI-TIP SAFETY
-  HIGH-PERFORMANCE DOUBLE BEARINGS
-  SUPERFINE DECORATIVE PROFILES
-  OFFSETTING FOR WALLS THAT ARE NOT IN LINE WITH THE VERTICAL
-  PREMIUM HEIGHT 2 M



# SYSTEMPOOL

PORCELANOSA Grupo

SYSTEMPOOL, S.A. - Ctra. Villarreal-Puebla de Arenoso, Km 1 / P.O. / Box 372 - 12.540 VILLARREAL (Castellón) - SPAIN  
 Tel: +34 964 50 64 64 - Fax Nac. 964 50 64 81 - Fax Exp. +34 964 50 64 80 / E-mail: system-pool@system-pool.com - www.system-pool.com